

AMP[®]

PRODUCT CATALOG

PAINT THE PERFECT PICTURE WITH AMP[®]



ABOUT AMP

AMP® Lighting designs, manufactures, and distributes the most advanced and durable products on the market. Our focus is supporting the success of lighting professionals and their customers.

We serve professionals in many ways – easy ordering, fast shipping, hassle-free lifetime warranty protection, and providing them with uniquely effective sales and marketing tools. With AMP® Lighting, professionals can be more successful, more efficient, and have more freedom to paint the perfect picture with precision and control.

Homeowners benefit from hiring authorized AMP® Professionals; they create transformational lighting that satisfies all the safety, security, and beauty needs of nighttime illumination.



**SOLID
CAST BRASS**



**LIFETIME
WARRANTY**



**FAST
SHIPPING**



LISTED

**UL & ETL
LISTED**

AMP®

AMPLIGHTING.COM

TABLE OF CONTENTS

BRASS BLACK FIXTURES	4
RGBCW FIXTURES	8
RGBW FIXTURES	14
NANO FIXTURES	20
SPOTLIGHTS	24
DOWNLIGHTS	36
PATH LIGHTS	42
DECORATIVE PATH LIGHTS	54
FLOOD LIGHTS	62
DECK & STEP LIGHTS	74
WELL & IN-GRADE LIGHTS	78
HARDSCAPE LIGHTS	92
UNDERWATER LIGHTS	102
LINE VOLTAGE (120V)	110
LED LAMPS	114
TRANSFORMERS	120
ACCESSORIES	124
AMP TRAINING CENTER	130

BRASS BLACK

Durable Design, Modern Look.

NEW Onyx Finish



BRASS BLACK



PinnaclePro Spotlight
AAL-1017-B-BK
MR16



EcoPro Spotlight
AAL-1052-4-B-BK
MR16



Mini PinnaclePro Spotlight
AAL-1018-4-B-BK
MR11



MagnumPro™ Path Light
AHT-3516-B-BK
G4



SummitPro™ Path Light
AHT-3515-B-BK
G4



ConicaPro™ Path Light
AHT-3514-B-BK
G4



Wide NovellePro Path Light
APL-3026-4-B-BK
G4



Mini PinnaclePro Path Light
APL-3017-4-B-BK
MR11

NEW Onyx Finish



StetsonPro Path Light
AHT-3500-B-BK
G4



Deck-Design Pro Classic
ADL-2010-25-B-BK
G4



EquaPro Flood Light
AAL-1014-4-B-BK
G4



StoutPro Flood Light
AFL-4015-4-B-BK
PAR36



HydraPro™ Well Light
AWL-5006-4-B-BK
MR11



LateralPro Lanai Light
AHS-7003-4-B-BK
MR16



PinnaclePro Downlight
AAL-1016-40-B-BK
MR16



EscherPro Lanai Light
AAL-1046-B-BK
MR11

RGBCW

FIXTURES & LAMPS





Create a spectrum of colors or achieve various color temperatures (2200K – 4000K) for your clients with the RGBCW series of fixtures and lamps. Adding to the customization capabilities, clients can fine-tune their ambiance with dimming capabilities or tailor the color temperature from cool to warm to best fit the application.



RGBCW ParamountPro

LED Flood Light

AFL-4031-B-BZ

- INTEGRATED LED
- RGBCW & CCT (2200K - 4000K)
- DIMMABLE - REQUIRES RGBCW RF REMOTE
- 11W MAX | 408 LUMENS



RGBCW 27W Flood Light

LED Flood Light

AFL-4033-B-BZ-R1



- INTEGRATED LED
- RGBCW & CCT (2200K - 4000K)
- DIMMABLE - REQUIRES RGBCW RF REMOTE
- 27W MAX | 1700 LUMENS



RGBCW MR16 Lamp

LED MR16

MR16-35-RGBCW1



- 38° & 60° Beam Spreads
- RGBCW & CCT (2200K - 4000K)
- DIMMABLE - REQUIRES RGBCW RF REMOTE
- 6W MAX | 330 LUMENS



RGBCW G4 Bi-Pin

LED G4 Bi-Pin

GU4-20-RGBCW1



- DESIGNED FOR CLASSIC STYLE PATH LIGHTS
- RGBCW & CCT (2200K - 4000K)
- DIMMABLE - REQUIRES RGBCW RF REMOTE
- 3.5W MAX | 20-300 LUMENS

RGBW FIXTURES





RGBW refers to the four standard colors in the LED chips: red, green, blue, and white. Both RGB and RGBW LED lights mix red, green and blue to produce many different colors. However, the dedicated white chips in RGBW LED lights result in a more diverse color palette and can also enhance or raise the brightness of the other colors.



RGBW ControlPro™ 800

LED Spotlight

AAL-30031R-B-BZ



- INTEGRATED LED
- RGBW & 2700K
- DIMMABLE - REQUIRES RGBW REMOTE FOR COLOR
- 12W MAX | 650 LUMENS



RGBW HydraPro™

LED Well Light

AWL-5011IR-B-BZ

- INTEGRATED LED
- RGBW & 2700K
- DIMMABLE - REQUIRES RGBW REMOTE FOR COLOR
- 12W MAX | 650 LUMENS



RGBW HydraPro™

LED Underwater Light

AUL-80051R-B-BZ

- INTEGRATED LED
- RGBW & 2700K
- DIMMABLE - REQUIRES RGBW REMOTE FOR COLOR
- 12W MAX | 650 LUMENS





RGBW HydraPro™

LED In-Grade Light

AWL-50101R-B-BZ

- INTEGRATED LED
- RGBW & 2700K
- DIMMABLE - REQUIRES RGBW REMOTE FOR COLOR
- 12W MAX | 650 LUMENS



RGBW PuckPro

LED Puck Light

AHS-7013-8-B-RB



- INTEGRATED LED
- RGBW & 2700K
- DIMMABLE - REQUIRES RGBW REMOTE FOR COLOR
- 4W MAX



RGBW Micro Dot

LED In-Grade Light

AHS-7014-10-B-BZ



- INTEGRATED LED
- RGBW & 2700K
- DIMMABLE - REQUIRES RGBW REMOTE FOR COLOR
- 1W MAX | 20 LUMENS



RGBW MarinerPro

LED Underwater Light

AUL-8009-25-B-BZ-R1



- INTEGRATED LED
- RGBW & 2700K
- DIMMABLE - REQUIRES RGBW REMOTE FOR COLOR
- 3W MAX | 80 LUMENS

NANO SERIES



Introducing the Nano Series of Fixtures – AMP’s tiniest solid brass integrated fixtures. Designed for non-traditional landscape applications, these fixtures are perfect for high-rises, apartments, planters, and more. Featuring a solid brass construction and rated to withstand dust and powerful jetting water, the Nano Series are built for reliable and long-lasting performance.



NANO LED SPOTLIGHT

Spotlight (Integrated)



15° BEAM ANGLE



35° BEAM ANGLE



60° BEAM ANGLE




AAL-1049-B-BZ-R1

Introducing the Nano LED Spotlight – AMP’s tiniest solid brass integrated LED spotlight. Measuring just under 3” in length and less than 1” in height, this spotlight delivers an incredible amount of illumination while effortlessly blending into any setting.

- Brass Construction
- Adjustable Knuckle
- 15° | 35° | 60° Beam Spreads
- 25’ 18AWG Lead Wire
- 2W Integrated LED | 85 Lumens

NANO LED FLOOD LIGHT

Flood Light (Integrated)



AFL-4032-25-B-BZ-R1

Introducing the Nano LED Flood Light – AMP’s tiniest solid brass integrated LED flood light. Measuring less than 2.5” in length and only 0.75” wide, this flood light produces a powerful 175 lumens of a warm 2700K glow.

- Brass Construction
- Adjustable Knuckle
- 120° Beam Angle
- 25' 18AWG Lead Wire
- 2W Integrated LED | 175 Lumens

SPOTLIGHTS



If landscape lighting is painting with light, then spotlights are the brushes. Spotlights are used for emphasis in outdoor lighting – to call attention to specific architectural or landscape features. Unlike flood lights that shed light across a wide area, spotlights have narrower beams so they can focus on one thing at a time.



PINNACLEPRO

MR16 Spotlight (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAL-1017

The PinnaclePro spotlight features a compact body with fins designed to draw heat away from the LED lamp. This is a fixture that blends performance and durability - a designer's dream.

- Cast Brass Construction
- Stainless Steel Screw Knuckle
- Fully Adjustable Glare Guard
- 4' or 25' 18AWG Lead Wire
- Designed and optimized for replaceable MR16 LED Lamps



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



STAINLESS
STEEL



COPPER

AAL-1052

Illuminate with precision with the G2 EcoPro MR16 spotlight, designed to blend durability and elegance with its compact, moisture-tight design and secure lamp fit.

- Cast Brass Construction
- Tool-Less Knuckle
- Water-Tight Silicone O-Ring keeps water from entering
- 4' or 25' 18AWG Lead Wire
- Designed and optimized for replaceable MR16 LED Lamps

MINI PINNACLEPRO

MR11 Spotlight (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK


AAL-1018

Extremely compact and easy-to-install, The AMP® Mini PinnaclePro MR11 Spotlight is small enough to place in garden planters, small garden beds, and other niche areas.

- Cast Brass Construction
- Stainless Steel Screw Knuckle
- Fully Adjustable Glare Guard
- 4' 18AWG Lead Wire
- Designed and optimized for replaceable MR11 LED Lamps

BULLETPRO

MR8 Spotlight (Lamp-Ready)



AAL-1033-B-BZ

Compact and durable, this professional-grade solid cast brass landscape lighting spotlight uses an AMP® MR8 LED bulb. This fixture is ideal for niche applications such as garden lighting, illuminating statuary or small architectural or landscape features.

- Cast Brass Construction
- Twist-and-Lock Body Design
- Water-Tight Silicone O-Ring keeps water from entering
- 4' 18AWG Lead Wire
- Designed and optimized for replaceable MR8 LED Lamps

CONTROLPRO™ 300

Spotlight (Integrated)



AAL-3000IR-BBZ

The AMP® ONE ControlPro™ 300 LED Spotlight uses an Integrated Single Source LED with a 350-lumen output (that can be dimmed from 2% to 100%) makes this light ideal for illuminating a wide range of accent and flood applications.

- Cast Brass Construction
- 5W | 2700K | 350 Lumens
- Fully Adjustable Glare Guard
- 25' 18AWG Lead Wire
- Integrated LED (Dimmable - Requires Design-Master Remote)

CONTROLPRO™ 500

Spotlight (Integrated)



AAL-3001IR-BBZ

The AMP® ONE ControlPro™ 500 LED Spotlight uses a 3-LED array to produce a beam of bright light with even distribution and soft edges. The 500-lumen output (that can be dimmed from 2% to 100%) makes this light ideal for a wide range of applications.

- Cast Brass Construction
- 8W | 2700K | 500 Lumens
- Fully Adjustable Glare Guard
- 25' 18AWG Lead Wire
- Integrated LED (Dimmable - Requires Design-Master Remote)

RGBW CONTROLPRO™ 800

Spotlight (Integrated)



AAL-3003IR-BBZ

Color modes and 10-step dimming options are unlocked using the AMP® ONE RGBW Remote Control. This spotlight features a fully-adjustable glare guard, adjustable knuckle for precision aiming, and interchangeable optics.

- Cast Brass Construction
- 12W | RGBW & 2700K | 650 Lumens
- Fully Adjustable Glare Guard
- 25' 18AWG Lead Wire
- Integrated LED (Dimmable - Requires RGBW Remote)

DECORATIVE ROCK LIGHT

MR11 Spotlight (Lamp-Ready)



AAL-1053-B-BZ-R1

Crafted with a sturdy epoxy resin, this decorative rock light was built with various weather conditions in mind. Adding to the long-lasting durability is a brass faceplate and heavy-duty brass fitting on the backside.

- Epoxy Resin Material with Brass Faceplate
- Clear Flat Lens
- Adjustable Internal Gimbal
- 4' 18AWG Lead Wire
- Designed and optimized for replaceable MR11 LED Lamps

ALL SPOTLIGHTS



PinnaclePro
AAL-1017-B-BZ
MR16
Brass Bronze



PinnaclePro
AAL-1017-B-BK
MR16
Brass Black



G2 EcoPro
AAL-1052-B-BZ
MR16
Brass Bronze



G2 EcoPro
AAL-1052-B-BK
MR16
Brass Black



G2 EcoPro
AAL-1052-S-S
MR16
Stainless Steel



G2 EcoPro
AAL-1052-C-CP
MR16
Copper



Mini PinnaclePro
AAL-1018-B-BZ
MR11
Brass Bronze



Mini PinnaclePro
AAL-1018-B-BK
MR11
Brass Black



BulletPro
AAL-1033-B-BZ
MR8
Brass Bronze



ControlPro™ 300
AAL-3000IR-B-BZ
Integrated LED
Brass Bronze



ControlPro™ 500
AAL-3001IR-B-BZ
Integrated LED
Brass Bronze



RGBW ControlPro™ 800
AAL-3003IR-B-BZ
Integrated LED
Brass Bronze



Decorative Rock Light

AAL-1053-B-BZ-R1

MR11

Epoxy Resin



DOWNLIGHTS



Moonlighting is one of the most impressive lighting techniques - accomplished by installing downlights in trees. AMP® downlights are easy to install, durable and UL Listed. Available in both integrated LED and lamp-ready versions.



CONTROLPRO 200

Downlight (Integrated)



AAL-18131R-40-BBZ

Designed with a solid brass, offset tripod tree mount with nylon spacers, the downlight can be mounted to uneven surfaces and will not cause damage to trees, typically caused by mold and insects.

- Cast Brass Construction
- 5W | 2700K | 350 Lumens
- Fully Adjustable Glare Guard
- 40' 18AWG Lead Wire
- Integrated LED (Dimmable- Requires Design-Master Remote)

PINNACLEPRO

MR16 Downlight (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK


AAL-1016

The PinnaclePro Downlight is a low voltage, professional-grade lamp-ready landscape light designed specifically for downlighting or moonlighting applications.

- Cast Brass Construction
- Designed and Optimized for MR16 Lamps
- Fully Adjustable Glare Guard
- 40' 18AWG lead wire
- Large Knuckle with 42 Teeth for Precision Aiming

AVIATORPRO

Downlight (Lamp-Ready)



BDL-GGT1-B-BZ


Cast brass downlight features extra-long, straight-cut adjustable glare guard. Ideal for under ceilings, eaves or overhangs. Projects a medium-sized pool of illumination. Surface mount included.

- Cast Brass Construction
- Designed and Optimized for MR16 Lamps
- Fully Adjustable Glare Guard
- 4' 18AWG Lead Wire
- Silicone-Sealed Knuckle Prevents Water Intrusion



PATH LIGHTS

To enhance the safety, security and beauty of walkways, gardens, patios and other spaces, 12V pathway lights must deliver the right amount (and quality) of illumination.





MAGNUMPRO™


Path & Area Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



STAINLESS
STEEL



COPPER

AAR-3516

The AMP® MagnumPro™ Path & Area Light (Lamp-Ready) has a sleek and modern design. It features our widest hat and can project LED light to produce a generous region of illumination. It contains a G4 socket and uses a replaceable G4 Bi-Pin bulb.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- 16' Beam Spread Diameter
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

SUMMITPRO™

Path & Area Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAR-3515

The AMP® SummitPro™ LED Path & Area Light (Lamp-Ready) features a traditional and appealing architectural style. It is compact and projects a medium-sized soft-edged beam. Constructed of solid cast brass, the fixture will not bend or break.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- 12' Beam Spread Diameter
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

CONICAPRO™


Path & Area Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK


AAR-3514

The AMP® ConicaPro™ LED Path & Area Light (Lamp-Ready) features durable cast-brass construction to resist physical and chemical challenges in the landscape. The fixture's appearance is simple and organic.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- 12' Beam Spread Diameter
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

STEMLESS DIRECTIONAL

Path & Area Light (Lamp-Ready)




APL-3037-B-BZ

The Stemless Brass Bronze Path Light casts an impressive 130° of light output. Experience wide coverage and enhanced visibility, allowing you to guide visitors and accentuate the beauty of outdoor spaces with exceptional clarity.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- Heavy Frosted Acrylic Lens
- 25' 18AWG Lead Wire
- UL & cUL® Listed

WIDE NOVELLEPRO

Path & Area Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



STAINLESS
STEEL


APL-3026

The Wide NovellePro is a robust modern fixture with a low profile and clean lines. Use this ultra-modern fixture to complement your modern architecture and décor. It provides a moderate-sized region of illumination to create a pool of evenly dispersed light.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- Modern Shape & Style
- 4' 18AWG Lead Wire
- UL & cUL® Listed

ALPINEPRO

Path & Area Light (Lamp-Ready)




APL-3014-B-BZ

The AlpinePro™ Path & Area Light (Lamp-Ready) is ideal for subtle floodlighting and path lighting applications. The round shape and frosted lens create an extra-wide, highly diffuse beam with soft edges.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- Adjustable Knuckle for Precision Aiming
- 4' 18AWG Lead Wire
- UL & cUL® Listed

DUAL MINI PINNACLEPRO

Path & Area Light (Lamp-Ready)



APL-3015-B-BZ

The AMP® Dual Mini PinnaclePro Path & Area Light (Lamp-Ready) has a directional output of two spotlights. Allows you to illuminate two regions with a single fixture.

- Cast Brass Construction
- Designed and Optimized for MR11 Lamps
- 8' Beam Spread Diameter
- 4' 16AWG Lead Wire
- UL & cUL® Listed

MINI PINNACLEPRO


Path & Area Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

APL-3017

Combines the durability and sealed fixture of a spotlight, with the concept of an adjustable path light. Perfect for high end homes and commercial applications. Use as a path, area, spot, flood, or specialty fixture.

- Cast Brass Construction
- Designed and Optimized for MR11 Lamps
- Directional Illumination
- 4' 16AWG Lead Wire
- UL & cUL® Listed

ALL PATH LIGHTS



MagnumPro™ (Lamp-Ready)
AAR-3516-B-BZ
G4 Bi-Pin
Brass Bronze



MagnumPro™ (Lamp-Ready)
AAR-3516-B-BK
G4 Bi-Pin
Brass Black



MagnumPro™ (Lamp-Ready)
AAR-3516-C-CP
G4 Bi-Pin
Copper



MagnumPro™ (Lamp-Ready)
AAR-3516-S-S
G4 Bi-Pin
Stainless Steel



MagnumPro™ (Integrated)
AAR-3516-I-B-BZ
Integrated
Brass Bronze



Stemless Path Light
APL-3037-B-BZ
G4 Bi-Pin
Brass Bronze



SummitPro™ (Lamp-Ready)
AAR-3515-B-BZ
G4 Bi-Pin
Brass Bronze



SummitPro™ (Lamp-Ready)
AAR-3515-B-BK
G4 Bi-Pin
Brass Black



SummitPro™ (Integrated)
AAR-3515-I-B-BZ
Integrated
Brass Bronze



ConicaPro™ (Lamp-Ready)
AAR-3514-B-BZ
G4 Bi-Pin
Brass Bronze



ConicaPro™ (Lamp-Ready)
AAR-3514-B-BK
G4 Bi-Pin
Brass Black



ConicaPro™ (Integrated)
AAR-3514-I-B-BZ
Integrated
Brass Bronze



Wide NovellePro (Lamp-Ready)
 APL-3026-B-BZ
 G4 Bi-Pin
 Brass Bronze



Wide NovellePro (Lamp-Ready)
 APL-3026-B-BK
 G4 Bi-Pin
 Brass Black



Wide NovellePro (Lamp-Ready)
 APL-3026-S-S-RI
 G4 Bi-Pin
 Stainless Steel



Mini MagnumPro (Lamp-Ready)
 AAR-MINI-3516-B-BZ
 G4 Bi-Pin
 Brass Bronze



Mini ConicaPro (Lamp-Ready)
 AAR-MINI-3514-B-BZ
 G4 Bi-Pin
 Brass Bronze



Mini SummitPro (Lamp-Ready)
 AAR-MINI-3515-B-BZ
 G4 Bi-Pin
 Brass Bronze



Mini PinnaclePro MR11
 APL-3017-B-BZ
 MR11
 Brass Bronze



Mini PinnaclePro MR11
 APL-3017-B-BK
 MR11
 Brass Black



Dual Mini PinnaclePro MR11
 APL-3015-B-BZ
 MR11
 Brass Bronze



AlpinePro (Lamp-Ready)
 APL-3014-B-BZ
 G4 Bi-Pin
 Brass Bronze




DECORATIVE PATH LIGHTS

When looking for something unique to add to your landscape, our decorative path lights offer beauty and functionality. With different styles to fit different scenes around a home, our decorative path lights are sure to WOW your customers and their guests.



ARCHPRO

Path Light (Lamp-Ready)




APL-3031-B-BZ

The ArchPro Path & Area Light is a low-voltage outdoor light ideal for illuminating walkways, patios, driveways, and area lighting. Constructed of solid brass with an attractive bronze finish and a traditional curved design.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- Adjustable Knuckle for Precision Aiming
- 4' 18AWG Lead Wire
- UL & cUL® Listed

24" MINI PILOTPRO

Path Light (Lamp-Ready)



APL-3024-B-BZ

The Mini PilotPro is a high-quality outdoor lighting fixture that projects an extra-wide circle of uniform illumination. This fixture is perfect for walkways and high traffic areas - works with residential and commercial properties.

- Cast Brass Construction
- Designed and Optimized for MR16 Lamps
- 10' Beam Spread
- 4' 18AWG Lead Wire
- UL & cUL® Listed

SILHOUETTE

Path Light (Integrated LED)




APL-3011-B-BZ

This unique patent-pending estate-sized luminaire features charming scrollwork and bold embellishments. At night, light shines through the designs to create a compelling pattern of light and shadow. Perfect for larger homes and properties.

- Cast Brass Construction
- Integrated LED
- 300 Lumens
- 4' 18AWG Lead Wire
- 34.5" Tall

CUSTOMIZABLE BOLLARD

Path Light (Lamp-Ready)



APL-3032-26-B-BZ

With AMP®'s Customizable Bollard Light, installers can customize a bollard to fit their application needs and desired light pattern. Constructed of a solid brass frame with easily interchangeable stainless steel panels.

- Cast Brass Construction
- Designed and Optimized for Bi-Pin Puck Lamps
- Interchangeable Panels (Scroll & Leaf)
- 4' 18AWG Lead Wire
- Custom to Your Application

POLYNESIAN PRO TIKI

Path Light (Lamp-Ready)



AAR-3518-B-BZ

The PolynesianPro Torch Light contains both fire (fueled by an oil reservoir) and light (from an LED bulb located under the shade). This new generation is constructed with an extra robust brass stem for a lifetime of durability and stability in any landscape.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pins
- Functional Tiki-Torch
- 4' 18AWG Lead Wire
- 61" Tall

ALL DECORATIVE PATH LIGHTS



ArchPro (Lamp-Ready)

APL-3031-B-BZ
G4 Bi-Pin
Brass Bronze



24" Mini PilotPro (Lamp-Ready)

APL-3024-B-BZ
MR16
Brass Bronze



Silhouette (Integrated)

APL-3011-B-BZ
Integrated
Brass Black



Customizable Bollard

APL-3032-26-B-BZ
Bi-Pin Puck
Brass Bronze



PolynesianPro (Lamp-Ready)

AAR-3518-B-BZ
G4 Bi-Pin
Brass Bronze



FLOOD LIGHTS

A large, mature tree with thick, gnarled branches and dense green foliage is the central focus. Spanish moss hangs from the branches, creating a delicate, web-like pattern. The scene is illuminated by floodlights, casting a warm glow on the tree's trunk and the surrounding foliage. The background is a deep blue, suggesting a clear night sky. The overall atmosphere is serene and natural.

LED flood lights are ideal for illuminating walls, signs, tree canopies and similar applications requiring wide-spread lighting. They provide safety and security for yards and other large areas. They can also be used for landscape lighting techniques like wall washing and grazing.



EQUAPRO

Flood Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AAL-1014

The round shape and frosted lens create an extra-wide highly diffuse beam with soft edges. Ideal for illuminating walls without creating the cone-shaped patterns produced by spotlights.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- Adjustable Knuckle for Precision Aiming
- 4' 18AWG Lead Wire
- UL & cUL® Listed

DIFFUSEPRO

Flood Light (Lamp-Ready)



AFL-4010-B-BZ

The DiffusePro is ideal for low-brightness flood lighting - especially for single objects such as urns, mailboxes, and statues. Also works for illumination of small gardens, retaining walls, and plants. Includes several lenses (frosted, clear, and linear) to maximize brightness or to further diffuse the beam and soften its edges.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin
- 3 Different Lenses to Perfect the Light Output
- 4' 16AWG Lead Wire
- UL & cUL® Listed

STOUTPRO PAR36

Flood Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK

AFL-4015

Solid, cast brass flood light that is built with longevity in mind. Perfect for any flood lighting application. Use to throw a flood of light on larger applications like large walls, signs, trees, and more.

- Cast Brass Construction
- Designed and Optimized for PAR36 Lamps
- Adjustable Knuckle for Precision Aiming
- 4' 16AWG Lead Wire
- UL & cUL® Listed

12W LED FLOOD LIGHT

Flood Light (Integrated)



AFL-4018-B-BZ

AMP®'s brass flood lights allow for much slimmer body designs while still offering high lumen outputs and ultra-wide beam angles. Ideal for expansive areas, large features, and up-lighting tree canopies. The fixtures feature powerful, efficient integrated LED lights.

- Cast Brass Construction
- 1000 Lumens | 3000K
- Adjustable Yoke Mount for Precision Aiming
- 4' 18AWG Lead Wire
- Frosted Tempered Glass Lens

RGBCW PARAMOUNTPRO

Flood Light (Integrated)



AFL-4031-B-BZ

Compact flood light offers numerous customization options for your clients' landscapes including color-changing capabilities, correlated color temperature adjustment, and dimming control. Requires AMP® RGBCW RF Remote Control for features.

- Cast Brass Construction
- 120° Beam Spread
- Adjustable Knuckle for Precision Aiming
- 4' 16AWG Lead Wire
- UL & cUL® Listed

PARAMOUNTPRO

Flood Light (Integrated)



AFL-4013-B-BZ

With extremely durable construction and an integrated high-power Cree® LED, this flood light projects 500 lumens. Ideal for illuminating signs, walls and plant material. No bulbs to change, clear glass lens can be replaced by diffusion or frosted lenses.

- Cast Brass Construction
- 500 Lumens
- Adjustable Knuckle for Precision Aiming
- 4' 16AWG Lead Wire
- Different Lens Options

RGBCW 27W FLOOD LIGHT

Flood Light (Integrated)



AFL-4033-B-BZ-R1

Equipped with a powerful 27W integrated LED and color-changing capabilities, this flood light ensures bright and efficient, customizable illumination. This flood light offers expansive coverage, making it suitable for large features, and up-lighting tree canopies.

- Cast Brass Construction
- 120° Beam Spread
- 27W Max | 1700 Lumens
- 4' 18AWG Lead Wire
- UL & cUL® Listed

27W FLOOD LIGHT

Flood Light (Integrated)



AFL-4024-B-BZ

Sleek brass design with powerful, efficient illumination. Extra-slim design with built-in heat sink fins. Features frosted, tempered glass lens for widespread, balanced illumination.

- Cast Brass Construction
- 120° Beam Spread
- 27W Max | 2500 Lumens | 3000K
- 4' 18AWG Lead Wire
- UL & cUL® Listed

ALL FLOOD LIGHTS



EquaPro (Lamp-Ready)
AAL-1014-B-BZ
G4 Bi-Pin
Brass Bronze



EquaPro (Lamp-Ready)
AAL-1014-B-BK
G4 Bi-Pin
Brass Black



DiffusePro (Lamp-Ready)
AFL-4010-B-BZ
G4 Bi-Pin
Brass Bronze



StoutPro (Lamp-Ready)
AFL-4015-B-BZ
PAR36
Brass Bronze



StoutPro (Lamp-Ready)
AFL-4015-B-BK
PAR36
Brass Black



SpectrumPro (Lamp-Ready)
AFL-4014-B-BZ
R7S
Brass Bronze



12W LED Flood (Integrated)
AFL-4018-B-BZ
Integrated
Brass Bronze



27W LED Flood (Integrated)
AFL-4024-B-BZ
Integrated
Brass Bronze



RGBCW 27W LED Flood (Integrated)
AFL-4033-B-BZ-R1
Integrated
Brass Bronze



ParamountPro (Integrated)
AFL-4013-B-BZ
Integrated
Brass Bronze



ParamountPro (Integrated)
AFL-4031-B-BZ
Integrated
Brass Bronze



A nighttime photograph of a garden path. The path is paved and leads through a lush garden with several large trees and dense bushes. The scene is illuminated by warm, low-profile lights, likely deck or step lights, which create a soft glow on the path and the surrounding foliage. The background shows a dark sky and the faint outlines of a house or building in the distance.

DECK LIGHTS & STEP LIGHTS

Deck lights are designed for downlighting on decks, docks, railings, posts and patios. Deck lights and step lights when used together allow for safe travel to and from outdoor patios, docks and much more.



DECK DESIGN-PRO

Deck Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK



BRASS
WHITE


ADL-2010

The Classic Deck Light is an attractive solid cast brass fixture that features a circular, classic shape. Like all AMP® LED deck lights, this fixture does not project light above the horizon (full cutoff designation) making it Dark Sky compliant.

- Cast Brass Construction
- Designed and Optimized for G4 Bi-Pin Lamps
- 3 Finish Options
- 25' 18AWG Lead Wire
- UL & cUL® Listed

INFUSEPRO THIN

Step Light (Integrated)



AHS-630(X)-25-B-BZ

X Represents different glare guard options

The InfusePro Step Lights are designed for simple installation for step-lighting applications. Compared to traditional recessed step lights, these low-profile integrated step lights are easy to install with the pre-drilled screw slots on the brass faceplates.

- Cast Brass Construction
- Integrated LED
- 3 Face Style Options
- 25' 18AWG Lead Wire
- Frosted Lens

WELL LIGHTS & IN-GRADE LIGHTS



Well lights & In-Grade lights are ideal for in-ground lawn applications and for up-lighting trees, columns and architectural features when an above-ground fixture is not desired. Available in lamp-ready and integrated LED styles.



HYDRAPRO™ MR16

Well Light (Lamp-Ready)




AWL-5007-B-BZ

The HydraPro™ LED MR16 Well Light is an absolutely waterproof fixture with an enhanced wire gland and a fully potted wire entrance for maximum protection against moisture and water intrusion.

- Cast Brass Construction
- Designed and Optimized for MR16 Lamps
- PVC Well Housing
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

HYDRAPRO™ MR16

In-Grade Light (Lamp-Ready)



AWL-5004-B-BZ

With an absolutely waterproof design, the fixture will withstand a lifetime of rain, irrigation water & flooding. This fixture is made from cold forged brass, which is less porous than cast brass and better suited for water-related conditions.

- Forged Brass Construction
- Designed and Optimized for MR16 Lamps
- 4 Different Glare Guard Options
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW HYDRAPRO™

Well Light (Integrated)



AWL-5011IR-B-BZ

This single-source integrated LED well light is the first of the premium HydraPro™ series to offer powerful, vivid RGBW color-changing capabilities. Color modes and 10-step dimming options are unlocked using the AMP® ONE RGBW Remote Control.

- Forged Brass Construction
- 650 Lumen Max | 12 Watts
- Integrated LED (Dimmable - Requires RGBW Remote)
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW HYDRAPRO™

In-Grade Light (Integrated)



AWL-50101R-B-BZ

This single-source integrated LED in-grade light is the first of the premium HydraPro™ series to offer powerful, vivid RGBW color-changing capabilities. Color modes and 10-step dimming options are unlocked using the AMP® ONE RGBW Remote Control.

- Forged Brass Construction
- 650 Lumen Max | 12 Watts
- Integrated LED (Dimmable - Requires RGBW Remote)
- 25' 18AWG Lead Wire
- UL & cUL® Listed

HYDRAPRO™ MR11

Well Light (Lamp-Ready)




AWL-5005-B-BZ

The HydraPro™ LED MR11 Well Light is an absolutely waterproof fixture with an enhanced wire gland and a fully potted wire entrance for maximum protection against moisture and water intrusion.

- Forged Brass Construction
- Designed and Optimized for MR11 Lamps
- PVC Well Housing
- 4' 18AWG Lead Wire
- UL & cUL® Listed

HYDRAPRO™ MR11

In-Grade Light (Lamp-Ready)



AWL-5006-B-BZ

The HydraPro™ MR11 In-Grade Light is a low profile, cold forged brass, completely waterproof fixture designed to accept the AMP® line of LED MR11 lamps, making it the professional's choice for an in-grade light.

- Forged Brass Construction
- Also Available in Brass Black
- 4 Different Glare Guard Options
- 4' 18AWG Lead Wire
- UL & cUL® Listed

CORE DRILL MR11

Well Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



STAINLESS
STEEL

AWL-5012

By utilizing a simple 2" core drill bit, you can effortlessly create recesses in pre-existing concrete, brick, and paver applications. No more tedious and labor-intensive methods—our innovative design empowers you to complete installations with ease and precision.

- Forged Brass Construction
- Designed and Optimized for MR11 Lamps
- PVC Well Housing
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW MICRO DOT

Well Light (Integrated)




AHS-7014-10-B-BZ

A discreet, low-profile RGBW light that provides a subtle light ideal for decks, floors, steps, and other low-light applications where indication is preferred over illumination. Remote control required for color-changing (sold separately).

- Cast Brass Construction
- Integrated LED
- Dimmable - Requires RGBW Remote
- 10' 18AWG Lead Wire
- UL & cUL® Listed

BURROWPRO PAR36

Well Light (Lamp-Ready)



AWL-5000-B-BZ

This fixture has a thick cast brass grate with thick tempered flat glass sealed under the grate. The brass cap alone weighs more than a standard complete well light fixture. Keeps debris, mulch, and leaves out. Various lens options sold separately for fine-tuning illumination specific to your needs (diffusion, frosted and hex louver).

- Solid Cast Brass Grate
- Designed and Optimized for PAR36 Lamps
- Stainless Steel Adjustable Lamp Holder
- Tempered Flat Glass Lens
- UL & cUL® Listed

PAR36

Well Light (Lamp-Ready)



AWL-5000-P-BK

The PAR36 Well Light is great for installing in turf or mulch beds for an assortment of uplighting applications. A perfect substitution for a spotlight where an in-ground fixture is desired. The low-profile design keeps the fixture hidden but results in effective lighting.

- Reversible PVC Tube
- Designed and Optimized for PAR36 Lamps
- Optional Debris Cover
- 4' 18AWG Lead Wire
- UL & cUL® Listed

ALL WELL LIGHTS



HydraPro™ MR16 (Lamp-Ready)
AWL-5007-B-BZ
MR16
Brass Bronze



HydraPro™ MR16 (Lamp-Ready)
AWL-5004-B-BZ
MR16
Brass Bronze



RGBW HydraPro™ (Integrated)
AWL-5011IR-B-BZ
Integrated
Brass Bronze



RGBW HydraPro™ (Integrated)
AWL-5010IR-B-BZ
Integrated
Brass Bronze



HydraPro™ MR11 (Lamp-Ready)
AWL-5005-B-BZ
MR11
Brass Bronze



HydraPro™ MR11 (Lamp-Ready)
AWL-5006-B-BZ
MR11
Brass Bronze



HydraPro™ MR11 (Lamp-Ready)
AWL-5006-B-BK
MR11
Brass Black



MR11 Core Drill (Lamp-Ready)
AWL-5012-B-BZ-R1
MR11
Brass Bronze



MR11 Core Drill (Lamp-Ready)
AWL-5012-S-S-R1
MR11
Stainless Steel



RGBW Micro Dot (Integrated)
AHS-7014-10-B-BZ
Integrated
Brass Bronze



BurrowPro (Lamp-Ready)
AWL-5000-B-BZ
PAR36
Brass Bronze




PAR36 Well (Lamp-Ready)
AWL-5000-P-BK
PAR36
Plastic Black



HARDSCAPE LIGHTS






Use hardscape lights to illuminate hard surface areas with soft light, especially when a patio or walkway extends right up to a wall and a path light can't be placed there. This can make the area much more accessible and enjoyable at night, while also highlighting the qualities of unique wall materials.

There are two common applications when installing a hardscape light: install it into a retaining wall with dirt behind it, or into a free-standing wall that's open on both sides.

TORRENTPRO

Rotatable Hardscape Light (Lamp-Ready)



AHS-7006-B-BZ-R1

The TorrentPro is a low-profile, high-performing fixture that achieves compelling illumination in a variety of applications. It is simple to install and delivers an evenly dispersed illumination - without distracting hot spots.

- Cast Brass Construction
- Rotatable Light Housing Allows for Endless Hardscape Lighting Applications
- Low-Profile Design
- 4' or 25' 18AWG Lead Wire
- UL & cUL® Listed

LATERALPRO

Up/Down Hardscape Light (Lamp-Ready)



FINISH OPTIONS



BRASS
BRONZE



BRASS
BLACK


AHS-7003

The solid cast brass AMP® LateralPro Up/Down Hardscape Light is the finest up/down low voltage landscape lighting scone on the market. The glass has etched edges enabling the center of the glass to be flush above the top of the brass.

- Cast Brass Construction
- Designed and Optimized for MR16 Lamps
- Upward & Downward Illumination
- 4' 18AWG Lead Wire
- UL & cUL® Listed

PILLARPRO

Post-Top Hardscape Light (Integrated)




APL-3019-B-BZ

The AMP® PillarPro LED Post-Top Light is designed to mount on the top of a square 4" x 4" post. It features a concealed integrated LED light source under the top cap that projects a compelling pattern of illumination onto surrounding surfaces.

- Cast Brass Construction
- Glare-Free Design
- Utilizes PuckPro LED Hardscape Light - 100 Lumens
- 4' 18AWG Lead Wire
- UL & cUL® Listed

G2 PUCKPRO

Hardscape Light (Integrated)



AHS-70XX-B-BZ

The PuckPro is perfect for being surface mounted or recessed under benches, railings, or overhangs; core-drilled into decks, steps, or hardscapes for a clean, integrated look; or installed as an uplight solution in planters and gardens for small bushes.

- Solid Brass Construction
- Optional Glare Guards
- Uplighting & Downlighting Applications
- 8' 18AWG Lead Wire
- UL & cUL® Listed | IP67 Rated

MRT1 LANAI LIGHT

Lanai Light (Lamp-Ready)




AAL-1045-B-BK

Featuring a pre-installed brass lanai mount, this fixture can be easily mounted onto pool cage posts. The included mount is engineered with a plastic cover for corrosion prevention – this allows the brass fixtures to be safely mounted to the aluminum posts.

- Cast Brass Construction
- Frosted PVC Lens
- Pre-Installed Lanai Mount
- 25' 18AWG Lead Wire
- UL & cUL® Listed

ESCHERPRO LANAI LIGHT

Lanai Light (Lamp-Ready)



AAL-1046-B-BK

The EscherPro MR11 Spotlight is specially designed for lanai lighting applications. Featuring a pre-installed brass lanai mount, this lanai light can be easily mounted to pool cage posts.

- Cast Brass Construction
- Adjustable Glare Guard
- Pre-Installed Lanai Mount
- 25' 18AWG Lead Wire
- UL & cUL® Listed

ALL HARDSCAPE LIGHTS



TorrentPro (Lamp-Ready)
AHS-7006-B-BZ-R1
G4 Bi-Pin
Brass Bronze



LateralPro (Lamp-Ready)
AHS-7003-B-BZ-R1
MR16
Brass Bronze



LateralPro (Lamp-Ready)
AHS-7003-B-BK
MR16
Brass Black



PillarPro (Integrated)
APL-3019-4-B-BZ
Integrated - 2700K
Brass Bronze



PuckPro (Integrated)
AHS-7019-8-B-BZ
Integrated - 2200K
Brass Bronze



PuckPro (Integrated)
AHS-7020-8-B-BZ
Integrated - 2700K
Brass Bronze



PuckPro Super (Integrated)
AHS-7021-8-B-BZ
Integrated - 2700K
Brass Bronze



RGBW PuckPro
AHS-7013-8-B-RB
Integrated
Brass Bronze




MR11 Lanai Light
AAL-1045-B-BK
MR11
Brass Black



EscherPro (Lamp-Ready)
AAL-1046-B-BK
MR11
Brass Black



UNDERWATER LIGHTS






Our underwater LED lights are known throughout the outdoor lighting industry for their robust build quality and beautiful design. These watertight fixtures are perfect for lighting up your pond, fountain or any other water feature.

HYDRAPRO™ MR16

Underwater Light (Lamp-Ready)



AUL-8003-B-BZ

Fully submersible and absolutely waterproof, this light features a low profile, forged brass construction and is designed to accept the AMP® line of LED MR16 lamps. Choose from our extensive line of LED MR16 lamps.

- Forged Brass Construction
- Extra Heavy Brass Mount
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

HYDRAPRO™ MR11

Underwater Light (Lamp-Ready)





AUL-8002-B-BZ

Ideal for applications where a low-profile submersible light is desired. The HydraPro™ Underwater Light is constructed of cold-forged brass which is better suited for water-related conditions.

- Forged Brass Construction
- Adjustable Gimbal for Precision Aiming
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW HYDRAPRO™

Underwater Light (Integrated)




AUL-80051R-B-BZ

This single-source integrated LED underwater light is the first of the premium HydraPro™ series to offer powerful, vivid RGBW color-changing capabilities. With 12 watts and a max output of 650 lumens, this underwater light suitable for many different applications.

- Forged Brass Construction
- Integrated LED (Dimmable - Requires RGBW Remote)
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

R7S UNDERWATER LIGHT

Underwater Light (Lamp-Ready)



AUL-8006-B-BZ

Designed for use in larger ponds and fountains, the AMP® R7S Underwater Light offers powerful, widespread illumination. The cold forged brass construction is durable and is ideal for underwater use.

- Forged Brass Construction
- Ideal for Large Water Features - Mechanically Dimmed
- IP68 Rated
- 25' 18AWG Lead Wire
- UL & cUL® Listed

RGBW MARINERPRO

Underwater Light (Integrated)



AUL-8009-34-B-BZ-3PK-R1

This 3-set of miniature underwater lights are permanently wired together for fast and easy installation. The low profile of these fixtures makes them ideal for shallow water (3" or more) - such as is found in middle or upper levels of fountains.

- Forged Brass Construction
- 100 Lumen Output
- RGBW Color Options
- 18' 18AWG Lead Wire
- UL & cUL® Listed

ALL UNDERWATER LIGHTS



HydraPro™ MR16
AUL-8003-B-BZ
MR16
Brass Bronze



HydraPro™ MR11
AUL-8002-B-BZ
MR11
Brass Bronze



SpectrumPro R7S
AUL-8006-B-BZ
R7S
Brass Bronze




RGBW HydraPro™
AUL-80051R-B-BZ
Integrated
Brass Bronze



RGBW MarinerPro (3-Pack)
AUL-8009-34-B-BZ-3PK-R1
Integrated
Brass Bronze



RGBW MarinerPro
AUL-8009-25-B-BZ-R1
Integrated
Brass Bronze



LINE VOLTAGE FIXTURES



120V is sometimes appropriate for residential applications, such as on large estates, but is most commonly used in commercial, security and municipal applications. Also known as line voltage, high voltage or standard voltage, 120V is found in common household electrical receptacles. **Line voltage requires a licensed electrician for installation.** For most residential applications, low voltage landscape lighting is sufficient enough.



ALL LINE VOLTAGE FIXTURES



PilotPro (120V)
APL-3022-L-4-B-BZ
Brass Bronze



18W Spotlight (120V)
AAL-1040-LI-B-BZ
Brass Bronze



9W Flood Light (120V)
AFL-4019-LI-B-BZ
Brass Bronze




17W Flood Light (120V)
AFL-4023-LI-B-BZ
Brass Bronze



SoffitPro MR16 (120V)
AAL-1047-A-WH
Aluminum White



E13 Bistro (120V)
ASI-9009-BK
25ft or 50ft





18W Spotlight (120V)

LED LAMPS





Specifically designed for landscape lighting, our LED bulbs are built with weather-resistant, commercial-grade components to maximize their life span. A conformal coating on all LED circuit boards prevents corrosion and water damage.

ALL LED LAMPS



MR16

WATTAGES: 2W, 3W, 5W, 7W
 BEAM ANGLES: 15°, 38°, 60°, 110°
 COLOR TEMPS: 2200K, 2700K,
 3000K, 4000K



MR16 ABA

WATTAGES: 3W, 5W
 BEAM ANGLES: 20°, 40°, 60°
 COLOR TEMPS: 2700K, 3000K



RGBCW MR16

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 COLOR TEMP: 2200K, 2700K,
 3000K, 4000K + RGB



MR16 Foliage Enhancing

WATTAGE: 5W
 BEAM ANGLES: 20°, 40°, 60°
 COLOR TEMP: 4150K



MR16 Leafy Green

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 COLOR: 520-540 Nanometer



MR16 Deep Blue

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 COLOR: 440-460 Nanometer



MR16 Candle Light

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 COLOR: 610-630 Nanometer



MR16 Rich Red

WATTAGE: 6W
 BEAM ANGLES: 38°, 60°
 COLOR: 640-660 Nanometer



MR11

WATTAGES: 2W, 4W
 BEAM ANGLES: 38°, 60°
 COLOR TEMPS: 2700K, 3000K



MR11 ABA

WATTAGES: 2W, 4W
BEAM ANGLES: 40°, 60°
COLOR TEMPS: 2700K



MR11 Rich Red

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
COLOR: 640-660 Nanometer



MR11 Leafy Green

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
COLOR: 520-540 Nanometer



MR11 Candle Light

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
COLOR: 610-630 Nanometer



MR11 Deep Blue

WATTAGE: 4W
BEAM ANGLES: 45°, 60°
COLOR: 440-460 Nanometer



MR8

WATTAGE: 2W
BEAM ANGLES: 38°
COLOR TEMPS: 2700K, 3000K



G4 Bi-Pin

WATTAGES: 1.5W, 2W, 3W, 4W
COLOR TEMPS: 2200K, 2700K, 3000K



RGBCW G4 Bi-Pin

WATTAGES: 3.5W
COLOR TEMPS: 2200K, 2700K, 3000K, 4000K + RGB



G4 Deep Blue

WATTAGES: 1.4W, 2W, 2.4W, 3W
COLOR: 440-460 Nanometer

ALL LED LAMPS



G4 Candle Light

WATTAGES: 1.5W, 2W, 2.4W, 3W
 COLOR: 640-660 Nanometer



G4 Rich Red

WATTAGES: 1.5W, 2W, 2.4W, 3W
 COLOR: 640-660 Nanometer



G4 Leafy Green

WATTAGES: 1.5W, 2W, 2.4W, 3W
 COLOR: 640-660 Nanometer



LED SCB

WATTAGES: 2W, 3W, 4W, 5W
 COLOR TEMPS: 2200K, 2700K, 3000K



PAR36

WATTAGES: 5W, 6W, 9W, 12W, 15W
 BEAM ANGLES: 35°, 60°
 COLOR TEMPS: 2700K, 3000K,



PAR30 (120V)

WATTAGE: 12W
 BEAM ANGLE: 36°
 COLOR TEMPS: 4000K



R7S Linear

WATTAGES: 7W, 10W
 COLOR TEMP: 2700K



GU4 Wafer Bi-Pin

WATTAGE: 2W
 COLOR TEMP: 2700K



GU4 Wafer Bi-Pin

WATTAGE: 3W
 COLOR TEMPS: 2700K, 3000K



TRANSFORMERS & ACCESSORIES





Designed for easy installation, consistent performance, and longevity, our low voltage transformers are ETL listed to UL standards. Each transformer features high-efficiency toroidal cores, waterproof stainless steel cabinets, and timer and photocell receptacles. Our Slim Line and Clamp-Connect transformers feature clamp-type connectors that are exclusive to AMP® that save you time and money.

ALL TRANSFORMERS



100W Slim Line

WATTAGE: 100W
VOLTAGE TAPS: 15V
NUMBER OF RUNS: 4



150W Slim Line

WATTAGE: 150W
VOLTAGE TAPS: 12V & 15V
NUMBER OF RUNS: 4



300W Slim Line

WATTAGE: 300W
VOLTAGE TAPS: 12V & 15V
NUMBER OF RUNS: 5



150W Clamp-Connect

WATTAGE: 150W
VOLTAGE TAPS: 15V
NUMBER OF RUNS: 4



300W Clamp-Connect

WATTAGE: 300W
VOLTAGE TAPS: 12V & 15V
NUMBER OF RUNS: 5



300W Multi-Tap

WATTAGE: 300W
VOLTAGE TAPS: 12V, 13V, 14V, 15V
NUMBER OF RUNS: 5+



600W Multi-Tap

WATTAGE: 600W
VOLTAGE TAPS: 12V, 13V, 14V, 15V
NUMBER OF RUNS: 5+



900W Multi-Tap

WATTAGE: 900W
VOLTAGE TAPS: 12V - 22V
NUMBER OF RUNS: 5+



1200W Multi-Tap

WATTAGE: 1200W
VOLTAGE TAPS: 12V - 22V
NUMBER OF RUNS: 5+



Inline Power Converter

WATTAGE: 60W, 100W



Inline Power Converter

WATTAGE: 100W

TRANSFORMER ACCESSORIES



**Timer & Photocell
Extension**



**Timer & Photocell
- Slim Line**



**Heavy-Duty Mechanical
Timer**



Mechanical Timer



G2 Astronomic Timer



**Ring Bridge & Outdoor
Smart Plug**

ACCESSORIES



Regardless of the application, AMP® carries mounting accessories that get the job done.

- Fixture stakes in a variety of sizes and materials
- Trident stake for spike-mounting in turf
- Surface and canopy mounts for attaching to wood and hardscapes
- Tree mounts, gutter mount, lanai mount and more



ALL ACCESSORIES



RGBW IR Remote



Design-Master Remote



RGBCW RF Remote



9" PVC Ground Stake



10" PVC Hammer Stake



9" Brass Ground Stake



6" PVC Hammer Stake



13" PVC Hammer Stake



Solid Brass Surface Mount



Solid Copper Surface Mount



Solid Brass Black Surface Mount



5" Brass Top /
Stainless Steel Spike
Ground Stake



**Diffusion Lens
MR16 | PAR36**



**Hex Louvre Lens
MR16 | PAR36**



**Frosted Lens
MR16 | PAR36**



Brass Gutter Mount



Brass Black Gutter Mount



Brass Bronze Trim Ring



Flexible Tripod Mount



**HydraPro™ MR16 PVC
Sleeve**




InfusePro PVC Sleeve



**Stainless Steel
Tree Spike**



**Brass Lanai Mount /
Plastic Boot**



**3", 6", 12" Hardscape
Mounting Bracket**

ALL ACCESSORIES



2 & 3" Optic
17° | 24° | 35° | 60°



Brass Extension Riser
(6", 12", 24")



Copper Extension Riser
(6", 12", 24")



Black Extension Riser
(6", 12", 24")



Brass Telescoping Riser
(6-12", 12-24", 18-36")



Estate Size Riser
(2", 6", 12", 24")



Replacement Wicks
for PolynesianPro Tiki



Brass Stake Cover



PAR36 Well Light
Debris Cover



2" Extended Brass Glare
Guard



3" Extended Brass Glare
Guard



TorrentPro Hardscape
Glare Guard



3" Hardscape Glare Guard



6" Hardscape Glare Guard



12" Hardscape Glare Guard



Extended PVC Downlight Glare Guard



HydraPro™ Grated Glare Guard



HydraPro™ Shielded Glare Guard



HydraPro™ Beacon Glare Guard



HydraPro™ Turret Top Glare Guard



PuckPro Grated Glare Guard



PuckPro Shielded Glare Guard



PuckPro Beacon Glare Guard



PuckPro Turret Top Glare Guard

AMP[®]

TRAINING CENTER



ABOUT THE AMP TRAINING CENTER

The AMP Training Center is located at AMP Headquarters in Lutz, FL, featuring a classroom, external training area in a controlled environment, and break room. Trainings offered here include a mix of in-class learning, presentations and visual content, as well as hands-on instruction on installing, designing, troubleshooting, and other areas of interest.





AMP Training courses are ideal for both experienced lighting professionals looking to refine their skills and network, in addition to beginners aiming to expand services and gain comprehensive lighting education. Join industry peers to enhance your confidence, experience, and understanding of lighting.

BENEFITS

- Boost profitability through learning landscape lighting design and installation skills.
- Gain hands-on experience for proficiency and confidence, outshining the competition.
- Acquire valuable tips to prevent callbacks and secure more leads.
- Network with professionals for market and industry insights.
- Empower and unite industry professionals for a top-notch learning experience.

Contact training@amplighting.com with all training inquiries.

TOPICS COVERED





LIFETIME
WARRANTY



SOLID
CAST BRASS



FAST
SHIPPING



LISTED
UL & ETL
LISTED

AMP[®]

PROFESSIONAL PRODUCTS THAT GIVE YOU
DESIGN CONTROL

AMPLIGHTING.COM | CUSTOMERSUPPORT@AMPLIGHTING.COM | 813.978.3900

Revision: April 2024